# Technical Datasheet B-4 NATURE



Prod.Code: 73269 Interior

### DESCRIPTION

High quality A+ Certified eco-friendly emulsion paint with guaranteed minimal emissions. Paint is based on vinyl copolymer resin. B-4 Nature is odourless and free from harmful substances making it Ideal for decorating walls and ceilings where a matt quality finish with a pleasant touch is required. Permits immediate use of spaces after application.

## **USE: INTERIOR**

Recommended for decoration of spaces to achieve a matt and smooth finish. Ideal for hospitals, children's rooms and spaces for hypoallergenic people. Also ideal for spaces where immediate entry and use is required such as offices, apartments, hospitals, creches etc.

### PROPERTIES

- Free from solvents and alkylphenoloxy ethylenated derivatives
  Minimal level of chemical contaminants
- Maximum interior Air quality classification (A+)
- High opacity
- Permeable to water vapor, allowing transpiration of the surface
- Excellent wet rub resistance
- Washable
- Odourless
- Allows for immediate use of painted spaces
- Protects Health and the Environment

## CERTIFICATIONS

• A+ Certification as per ISO 16009-9 (Maximum indoor air quality)



### Finish: Matt

Color: White

Viscosity: Min. 90 P S/FR1007

Density: 1,57 ± 0,05 g/cc S/FR1001

Drying: Touch Dry in 1 hour

Min. Repaint time: 12 hours

Max.Repaint time: Unlimited

Diluent: Water (max.10%)

Performance: 10-12 m<sup>2</sup>/L (per coat) Avg. observed values. Variable depending on texture and absorption.

Coloring: Use Juno Universal colorant (to max 3%)

Flash Point: Not flammable

VOC Content: 0 grams/litre

73269 WHITE



Format: 4L / 15 L

The information contained in this data sheet may change and must be updated. Consult www.junopaints.com or your nearest JUNO representative to obtain the most recent data sheet. The technical advice of application, whether verbal, written or through triads, are based on the experience and technical knowledge of JUNO. The data shown in this document should be considered a recommendation and as such does not imply any commitment, even with regard to possible industrial property rights of third parties. The application, employment and transformation of the products supplied by JUNO are carried out by third parties. Consequently, the final result is the sole responsibility of the client, applicator or manipulator of the products and not of the supplying company. This document does not exempt the client from carrying out his own examination of the products supplied, in order to verify ther suitability for the procedures and intended purposes. In case of responsibility assumed by JUNO, it will be limited to the strict value of the goods supplied and used by the customer, whatever the damages and losses caused. JUNO guarantees the quality of all its products, in accordance with the current General Sales Conditions.

Industrias JUNO, S.A. • Barrio Sakoni, 10 • 48950 Erandio (SPAIN) • Tel.: (+34) 944 670 062 • infoweb@juno.es • www.junopaints.com

June 2017 Rev. 8

## Technical Datasheet B-4 NATURE



Code: 73269 Interior

### SURFACE PREPARATION

UNTREATED SURFACE. On new, firm, clean and dry surfaces, no preparation of the substrate is necessary. For added consistency and dustproofing, prime with a coat of diluted Hidrocril Sealer (Prod.Code 81.006) (1 part Hidrocril : 4 parts Water). On projected plasters, due to varying levels of absorbtion it is recommended to seal the surface applying 1 coat of Aquasell (Prod. Code 21.203).

**PAINTED SURFACE.** If the paint is in good condition, apply the product directly. For paint in poor condition, remove loose flaking paint, dust and dirt. Go over defective areas, repairing cracks and irregularities with **Juno Repair Plaster (Prod. Code 77.000)** before painting.

On glossy surface paints and varnishes it is necessary to sand the surface to eliminate any gloss to favor adhesion and eliminate surface tension. Paint out a small test patch to check the strength and anchoring of the paint and prevent possible incompatibilities with previous coats/applied paints.

### PATHOLOGIES.

*Mold contamination.* Wash mold stains thorooghly and disinfect using **Junoclean Anti-mold wash (Prod.Code 760.180)**. Rinse with clean water and let dry completely. Coat using paint with anti-mold additive or add JUNO's **Misky-Misky anti-mold additive (Prod.Code 79.597)**.

Saline Efflorescence. Brush thoroughly, clean and neutralize with a Chloridic acid or Zinc Sulphate solution (to 10%). Rinse with water and allow to dry completely before painting.

Moisture, grease, smoke or nicotine stains, etc. Clean with water and suitable detergent. Leave to dry completely before applying and priming Tapa-Manchas Stain Cover. (Prod.Code 21.350).

### APPLICATION TIPS

Stir content thoroughly untill complete homogeniztion.

Apply on surfaces that are consistent, clean, completely dry, free of efflorescence (saltpeter) and molds.

Do not apply on surfaces with a temperature below 5°C, nor excessively hot surfaces.

The need to dilute the product depends on porosity and state of the surface.

It is advisable to protect areas that are not going to be painted (plugs, skirting boards, floors, door frames and windows) with painter's tape and paper. Once the work is completed, remove the tape before the paint completely dries, to prevent paint from being pulled off.

APPLICATION METHOD. Brush, roller or spray equipment. Apply minimum two coats of B-7.

CLEANING. Clean paint stains and work tools immediately after use using soapy water.

### SAFETY AND ENVIRONMENT

Minimize product waste by estimating the amount needed, taking into account the m2, porosity and texture of the support. Store any excess material in a ventilated and dry place. The container must be clean and of adequate size for the amount of product left over. Close containers carefully and keep upright to avoid spills. Preserve the containers away from frost, high temperatures and direct exposure to the sun.

Recover any unused paint for future use and to reduce environmental effects. Do not eat, drink or smoke during the preparation and application of the product. Surface preparation and application operations must be carried out with the corresponding safety measures. For more information, consult the Safety Data Sheet.

In case of contact with eyes wash with clean and abundant water. Keep out of the reach of children.

Do not discharge into drains or the environment. Dispose of at an authorized waste collection point. Consult local council authorities for correct recycling method for container and waste/leftovers paint according to local legislation and principles of environmental respect.

The information contained in this data sheet may change and must be updated. Consult www.junopaints.com or your nearest JUNO representative to obtain the most recent data sheet. The technical advice of application, whether verbal, written or through triats, are based on the experience and technical knowledge of JUNO. The data shown in this document should be considered a recommendation and as such does not imply any commitment, even with regard to possible industrial property rights of third parties. The application, employment and transformation of the products supplied by JUNO are carried out by third parties. The sequentity, the final result is the sole responsibility of the client, applicator or manipulator of the products and not of the supplying company. This document does not exempt the client from carrying out his own examination of the products supplied, in order to verify their suitability for the procedures and intended purposes. In case of responsibility assumed by JUNO, it will be limited to the strict value of the goods supplied and used by the customer, whatever the damages and losses caused. JUNO guarantees the quality of all its products, in accordance with the current General Sales Conditions.