

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

JUNORAL N-5 - Código - 73040

Other means of identification:

Non-applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Acrylic paint

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

INDUSTRIAS JUNO, S.A. Barrio Sakoni, 10 48950 ERANDIO - Vizcaya - España Phone: +34 944 670 062 - Fax: +34 944 675 832 laboratorio@juno.es www.juno.es

1.4 Emergency telephone number:

SECTION 2: HAZARDS IDENTIFICATION **

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Hazard statements:

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P273: Avoid release to the environment.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

Supplementary information:

EUH208: Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

EUH211: Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria.

** Changes with regards to the previous version

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Aqueous mixture composed of additives, aggregates, coalescents, pigments and resins

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

- CONTINUED ON NEXT PAGE -



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

JUNORAL N-5 - Código - 73040

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

	Identification		Chemical name/Classification	Concentration		
CAS:	6846-50-0	1-isopropyl-2,2-dimethyltrimethylene diisobutyrate ⁽¹⁾ Self-classified				
EC: Index: REACH:	ex: Non-applicable		Aquatic Chronic 3: H412; Repr. 2: H361 - Warning	0,1 - <1 %		
CAS:	55406-53-6	3-iodo-2-propynyl B	p-2-propynyl Butylcarbamate ⁽¹⁾ ATP ATP06			
Index: 61 REACH: 01	259-627-5 616-212-00-7 01-2120762115-60- XXXX	Regulation 1272/2008	Acute Tox. 3: H331; Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Sens. 1: H317; STOT RE 1: H372 - Danger	<0,1 %		
CAS:	52-51-7	bronopol (INN) ⁽¹⁾	ATP ATP01			
EC: 200-143-0 Index: 603-085-00-8 REACH: 01-2119980938-15- XXXX	603-085-00-8 01-2119980938-15-	Regulation 1272/2008	Acute Tox. 4: H302+H312; Aquatic Acute 1: H400; Eye Dam. 1: H318; Skin Irrit. 2: H315; STOT SE 3: H335 - Danger	<0,1 %		
CAS:	886-50-0	Terbutryn ⁽¹⁾	Self-classified			
EC: 212-950-5 Index: Non-applicable REACH: Non-applicable	Non-applicable	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Sens. 1: H317 - Warning	<0,1 %		
CAS: EC:	55965-84-9 Non-applicable	pplicable 3-one (3:1) ⁽¹⁾				
	613-167-00-5 Non-applicable	Regulation 1272/2008	Acute Tox. 2: H310+H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1C: H314; Skin Sens. 1A: H317; EUH071 - Danger	<0,1 %		

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

	Identification	M-factor		
3-iodo-2-propynyl Bu	tylcarbamate		Acute	10
CAS: 55406-53-6	EC: 259-627-5		Chronic	1
bronopol (INN)			Acute	10
CAS: 52-51-7	EC: 200-143-0		Chronic	1
Terbutryn			Acute	10
CAS: 886-50-0 EC: 212-950-5				10
reaction mass of 5-ch	nloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothia	zol-3-one (3:1)	Acute	100
CAS: 55965-84-9	EC: Non-applicable		Chronic	100
	Identification	Spe	cific concentr	ation limit
reaction mass of 5-ch isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable	nloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-)	% (w/w) >=0,6: Skin Corr. 0,06<= % (w/w) <0,6: Skii % (w/w) >=0,6: Eye Dam. 0,06<= % (w/w) <0,6: Eye % (w/w) >=0,0015: Skin S	n Irrit. 2 - H3 1 - H318 : Irrit. 2 - H31	9

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

- CONTINUED ON NEXT PAGE -



SECTION 4: FIRST AID MEASURES (continued)

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

- CONTINUED ON NEXT PAGE -



SECTION 7: HANDLING AND STORAGE (continued)

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and destroy using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage Minimum Temp.: 5 °C Maximum Temp.: 30 °C

Maximum time: 24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

DNEL (Workers):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
1-isopropyl-2,2-dimethyltrimethylene diisobutyrate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 6846-50-0	Dermal	Non-applicable	Non-applicable	5 mg/kg	Non-applicable
EC: 229-934-9	Inhalation	Non-applicable	Non-applicable	17,62 mg/m ³	Non-applicable
3-iodo-2-propynyl Butylcarbamate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 55406-53-6	Dermal	Non-applicable	Non-applicable	2 mg/kg	Non-applicable
EC: 259-627-5	Inhalation	0,07 mg/m ³	1,16 mg/m ³	0,023 mg/m ³	1,16 mg/m ³
bronopol (INN)	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 52-51-7	Dermal	Non-applicable	Non-applicable	2 mg/kg	Non-applicable
EC: 200-143-0	Inhalation	Non-applicable	Non-applicable	3,5 mg/m ³	2,5 mg/m ³

DNEL (General population):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
1-isopropyl-2,2-dimethyltrimethylene diisobutyrate	Oral	Non-applicable	Non-applicable	5 mg/kg	Non-applicable
CAS: 6846-50-0	Dermal	Non-applicable	Non-applicable	5 mg/kg	Non-applicable
EC: 229-934-9	Inhalation	Non-applicable	Non-applicable	4,35 mg/m³	Non-applicable



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
bronopol (INN)	Oral	0,5 mg/kg	Non-applicable	0,18 mg/kg	Non-applicable
CAS: 52-51-7	Dermal	Non-applicable	Non-applicable	0,7 mg/kg	Non-applicable
EC: 200-143-0	Inhalation	Non-applicable	Non-applicable	0,6 mg/m ³	Non-applicable

PNEC:

Identification				
1-isopropyl-2,2-dimethyltrimethylene diisobutyrate	STP	3 mg/L	Fresh water	0,014 mg/L
CAS: 6846-50-0	Soil	1,05 mg/kg	Marine water	0,001 mg/L
EC: 229-934-9	Intermittent	Non-applicable	Sediment (Fresh water)	5,29 mg/kg
	Oral	0,0833 g/kg	Sediment (Marine water)	0,529 mg/kg
3-iodo-2-propynyl Butylcarbamate	STP	0,44 mg/L	Fresh water	0,001 mg/L
CAS: 55406-53-6	Soil	0,005 mg/kg	Marine water	0 mg/L
EC: 259-627-5	Intermittent	0,001 mg/L	Sediment (Fresh water)	0,017 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,002 mg/kg
bronopol (INN)	STP	0,43 mg/L	Fresh water	0,01 mg/L
CAS: 52-51-7	Soil	0,5 mg/kg	Marine water	0,001 mg/L
EC: 200-143-0	Intermittent	0,003 mg/L	Sediment (Fresh water)	0,041 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,003 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Compulsory use of face mask	Filter mask for particles		EN 149:2001+A1:2009	Replace when an increase in resistence to breathing is observed.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+ A1:2010 and EN ISO 374-1:2016+A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

	Pictogram	PPE	Labelling	CEN Standard	Remarks
	Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.
E	Body protection				



	1		1		
Pictogram	PPE	Labelling	CEN Standard		Remarks
	Work clothing	CATI		perioc recom	the before any evidence of deterioration. F is of prolonged exposure to the product f professional/industrial users CE III is mended, in accordance with the regulatic ISO 6529:2013, EN ISO 6530:2005, EN IS 13688:2013, EN 464:1994.
	Anti-slip work shoes	CAT II	EN ISO 20347:2012	perioc recom	te before any evidence of deterioration. F Is of prolonged exposure to the product f professional/industrial users CE III is mended, in accordance with the regulatic EN ISO 20345:2012 y EN 13832-1:2007
F Additional emerge	ency measures				
Emergency me	asure	Standards	Emergency meas	ure	Standards
Emergency sh	ISO 3864-1	ANSI Z358-1 2011, ISO 3864-4:20	011 Eyewash station	าร	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Environmental exp	acura controla				
V.O.C. (Supply): V.O.C. density at		% weight g/m³ (0 g/L)	-		
A					
Average carbon r		n-applicable			
Average molecula	ar weight: No	n-applicable			
Average molecula With regard to Direct	ar weight: No tive 2004/42/EC, this p	n-applicable roduct which is re	eady to use has the follow	ving cha	racteristics:
Average molecula With regard to Direct V.O.C. density at	ar weight: No tive 2004/42/EC, this p 20 °C: 0,2	n-applicable roduct which is re 5 kg/m³ (0,25 g	-	ing cha	racteristics:
Average molecula With regard to Direct V.O.C. density at EU limit for the p	ar weight: No tive 2004/42/EC, this p 20 °C: 0,2 roduct (Cat. A.A): 30 g	n-applicable roduct which is re 5 kg/m³ (0,25 g g/L (2010)	-	ving cha	racteristics:
Average molecula With regard to Direct V.O.C. density at	ar weight: No tive 2004/42/EC, this p 20 °C: 0,2 roduct (Cat. A.A): 30 g	n-applicable roduct which is re 5 kg/m³ (0,25 g	-	ing cha	racteristics:
Average molecula With regard to Direct V.O.C. density at EU limit for the p Components:	ar weight: No tive 2004/42/EC, this p 20 °C: 0,2 roduct (Cat. A.A): 30 g No	n-applicable roduct which is re 5 kg/m ³ (0,25 g g/L (2010) n-applicable	-	ing cha	racteristics:
Average molecula With regard to Direct V.O.C. density at EU limit for the p	ar weight: No tive 2004/42/EC, this p 20 °C: 0,2 roduct (Cat. A.A): 30 g No	n-applicable roduct which is re 5 kg/m ³ (0,25 g g/L (2010) n-applicable	-	ing cha	racteristics:
Average molecula With regard to Direct V.O.C. density at EU limit for the p Components:	ar weight: No tive 2004/42/EC, this p 20 °C: 0,2 roduct (Cat. A.A): 30 g No	n-applicable roduct which is re 5 kg/m ³ (0,25 g g/L (2010) n-applicable DPERTIES	/L)	ing cha	racteristics:
Average molecula With regard to Direct V.O.C. density at EU limit for the p Components:	ar weight: No tive 2004/42/EC, this p 20 °C: 0,2 roduct (Cat. A.A): 30 g No AND CHEMICAL PRO	n-applicable roduct which is re 5 kg/m ³ (0,25 g g/L (2010) n-applicable DPERTIES mical properties	/L)	ing cha	racteristics:
Average molecula With regard to Direct V.O.C. density at EU limit for the p Components:	ar weight: No tive 2004/42/EC, this p 20 °C: 0,2 roduct (Cat. A.A): 30 g No AND CHEMICAL PRO	n-applicable roduct which is re 5 kg/m ³ (0,25 g g/L (2010) n-applicable DPERTIES mical properties	/L)	ing cha	racteristics:
Average molecula With regard to Direct V.O.C. density at EU limit for the p Components: TION 9: PHYSICAL A Information on ba	ar weight: No tive 2004/42/EC, this p 20 °C: 0,2 roduct (Cat. A.A): 30 g No AND CHEMICAL PRO sic physical and che ation see the product d	n-applicable roduct which is re 5 kg/m ³ (0,25 g g/L (2010) n-applicable DPERTIES mical properties	;/L)	ing cha	racteristics:
Average molecula With regard to Direct V.O.C. density at EU limit for the p Components: TION 9: PHYSICAL / Information on ba For complete informa Appearance:	ar weight: No tive 2004/42/EC, this p 20 °C: 0,2 roduct (Cat. A.A): 30 g No AND CHEMICAL PRO sic physical and che ation see the product d	n-applicable roduct which is re- 5 kg/m ³ (0,25 g g/L (2010) n-applicable DPERTIES mical propertie : atasheet.	i/L)	ring cha	racteristics:
Average molecula With regard to Direct V.O.C. density at EU limit for the p Components: TION 9: PHYSICAL Information on ba For complete informa Appearance: Physical state at 20 °	ar weight: No tive 2004/42/EC, this p 20 °C: 0,2 roduct (Cat. A.A): 30 g No AND CHEMICAL PRO sic physical and che ation see the product d	n-applicable roduct which is re- 5 kg/m ³ (0,25 g g/L (2010) n-applicable DPERTIES mical properties atasheet. Liqu Visco	i/L)	ing cha	racteristics:
Average molecula With regard to Direct V.O.C. density at EU limit for the p Components: TION 9: PHYSICAL / Information on ba For complete informa Appearance: Physical state at 20 ° Appearance:	ar weight: No tive 2004/42/EC, this p 20 °C: 0,2 roduct (Cat. A.A): 30 g No AND CHEMICAL PRO sic physical and che ation see the product d	n-applicable roduct which is re- 5 kg/m ³ (0,25 g g/L (2010) n-applicable DPERTIES mical properties atasheet. Liqu Visco Char	r/L) s: id ous	ing cha	racteristics:
Average molecula With regard to Direct V.O.C. density at EU limit for the p Components: TION 9: PHYSICAL / Information on ba For complete informat Appearance: Physical state at 20 ° Appearance: Colour:	ar weight: No tive 2004/42/EC, this p 20 °C: 0,2 roduct (Cat. A.A): 30 g No AND CHEMICAL PRO sic physical and che ation see the product d	n-applicable roduct which is re- 5 kg/m ³ (0,25 g g/L (2010) n-applicable DPERTIES mical properties atasheet. Liqu Visco Chan Chan	racteristic	ring cha	racteristics:
Average molecula With regard to Direct V.O.C. density at EU limit for the p Components: TION 9: PHYSICAL / Information on ba For complete informa Appearance: Physical state at 20 ° Appearance: Colour: Odour:	ar weight: No tive 2004/42/EC, this p 20 °C: 0,2 roduct (Cat. A.A): 30 g No AND CHEMICAL PRO sic physical and che ation see the product d	n-applicable roduct which is re- 5 kg/m ³ (0,25 g g/L (2010) n-applicable DPERTIES mical properties atasheet. Liqu Visco Chan Chan	/L) s: id ous racteristic racteristic	ing cha	racteristics:
Average molecula With regard to Direct V.O.C. density at EU limit for the p Components: TION 9: PHYSICAL A Information on ba For complete informa Appearance: Physical state at 20 ° Appearance: Colour: Odour: Odour threshold:	ar weight: No tive 2004/42/EC, this p 20 °C: 0,2 roduct (Cat. A.A): 30 g No AND CHEMICAL PRO sic physical and che ation see the product d	n-applicable roduct which is re- 5 kg/m ³ (0,25 g g/L (2010) n-applicable DPERTIES mical properties atasheet. Liqu Visco Chan Chan	/L) s: id ous racteristic racteristic -applicable *	ing cha	racteristics:
Average molecula With regard to Direct V.O.C. density at EU limit for the p Components: TION 9: PHYSICAL / Information on ba For complete informa Appearance: Physical state at 20 ° Appearance: Colour: Odour: Odour threshold: Volatility:	ar weight: No tive 2004/42/EC, this p 20 °C: 0,2 roduct (Cat. A.A): 30 g No AND CHEMICAL PR sic physical and che ation see the product d PC: spheric pressure:	n-applicable roduct which is re- 5 kg/m ³ (0,25 g g/L (2010) n-applicable DPERTIES mical propertie: atasheet. Liqu Visco Chai Chai Non-	//L) s: id ous racteristic racteristic -applicable * °C	ring cha	racteristics:
Average molecula With regard to Direct V.O.C. density at EU limit for the p Components: TION 9: PHYSICAL / Information on ba For complete informa Appearance: Physical state at 20 ° Appearance: Colour: Odour: Odour threshold: Volatility: Boiling point at atmo	ar weight: No tive 2004/42/EC, this p 20 °C: 0,2 roduct (Cat. A.A): 30 g No AND CHEMICAL PRO sic physical and che ation see the product d PC: spheric pressure: 10 °C:	n-applicable roduct which is re- 5 kg/m ³ (0,25 g g/L (2010) n-applicable DPERTIES mical properties atasheet. Liqu Visco Chai Non- 102 2346	//L) s: id ous racteristic racteristic -applicable * °C	ing cha	racteristics:

*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

1500 - 1600 kg/m³

Product description: Density at 20 °C:



SEC	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	ES (continued)
	Relative density at 20 °C:	Non-applicable *
	Dynamic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 40 °C:	>20,5 mm²/s
	Concentration:	Non-applicable *
	pH:	7 - 9
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Water-soluble
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	Non Flammable (>60 °C)
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	229 °C
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard cla	sses:
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing info	ormation property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

10.5 Incompatible materials:

- CONTINUED ON NEXT PAGE -



SECTION 10: STABILITY AND REACTIVITY (continued)

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO_2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: Titanium dioxide (2B); Talc (3)

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:



SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	Acute toxicity		Genus	
1-isopropyl-2,2-dimethyltrimethylene diisobutyrate	LD50 oral	>5000 mg/kg	Rat	
CAS: 6846-50-0	LD50 dermal	Non-applicable		
EC: 229-934-9	LC50 inhalation	Non-applicable		
3-iodo-2-propynyl Butylcarbamate	LD50 oral	1100 mg/kg	Rat	
CAS: 55406-53-6	LD50 dermal	2100 mg/kg	Rabbit	
EC: 259-627-5	LC50 inhalation	Non-applicable		
bronopol (INN)	LD50 oral	500 mg/kg	Rat	
CAS: 52-51-7	LD50 dermal	1600 mg/kg	Rabbit	
EC: 200-143-0	LC50 inhalation	Non-applicable		
Terbutryn	LD50 oral	2045 mg/kg	Rat	
CAS: 886-50-0	LD50 dermal	Non-applicable		
EC: 212-950-5	LC50 inhalation	Non-applicable		
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	LD50 oral	64 mg/kg	Rat	
CAS: 55965-84-9	LD50 dermal	87,12 mg/kg	Rabbit	
EC: Non-applicable	LC50 inhalation	0,33 mg/L (4 h)	Rat	

Acute Toxicity Estimate (ATE mix):

ATE mix		Ingredient(s) of unknown toxicity
Oral	>2000 mg/kg (Calculation method)	Non-applicable
Dermal	>2000 mg/kg (Calculation method)	Non-applicable
Inhalation	>20 mg/L (4 h) (Calculation method)	Non-applicable

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable



SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
1-isopropyl-2,2-dimethyltrimethylene diisobutyrate	LC50	>10 - 100 (96 h)		Fish
CAS: 6846-50-0	EC50	>10 - 100 (48 h)		Crustacean
EC: 229-934-9	EC50	>10 - 100 (72 h)		Algae
3-iodo-2-propynyl Butylcarbamate	LC50	0,07 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 55406-53-6	EC50	0,09 mg/L (96 h)	Mysidopsis bahia	Crustacean
EC: 259-627-5	EC50	0,05 mg/L (72 h)	Scenedesmus subspicatus	Algae
bronopol (INN)	LC50	>0.1 - 1 (96 h)		Fish
CAS: 52-51-7	EC50	>0.1 - 1 (48 h)		Crustacean
EC: 200-143-0	EC50	>0.1 - 1 (72 h)		Algae
Terbutryn	LC50	1,3 mg/L (96 h)	Lepomis macrochirus	Fish
CAS: 886-50-0	EC50	2,66 mg/L (48 h)	Daphnia magna	Crustacean
EC: 212-950-5	EC50	0,013 mg/L (72 h)	Selenastrum capricornutum	Algae
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3-one (3:1)	LC50	0,28 mg/L (96 h)	Lepomis macrochirus	Fish
CAS: 55965-84-9	EC50	0,16 mg/L (48 h)	Daphnia magna	Crustacean
EC: Non-applicable	EC50	0,018 mg/L (72 h)	Selenastrum capricornutum	Algae

Chronic toxicity:

Identification	Concentration		Species	Genus
3-iodo-2-propynyl Butylcarbamate	NOEC	0,0084 mg/L	Pimephales promelas	Fish
CAS: 55406-53-6 EC: 259-627-5	NOEC	0,0499 mg/L	Daphnia magna	Crustacean
bronopol (INN)	NOEC	21,5 mg/L	Oncorhynchus mykiss	Fish
CAS: 52-51-7 EC: 200-143-0	NOEC	0,27 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Identification	De	gradability	Biodegradability	
1-isopropyl-2,2-dimethyltrimethylene diisobutyrate	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 6846-50-0	COD	Non-applicable	Period	28 days
EC: 229-934-9	BOD5/COD	Non-applicable	% Biodegradable	39 %
bronopol (INN)	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 52-51-7	COD	Non-applicable	Period	28 days
EC: 200-143-0	BOD5/COD	Non-applicable	% Biodegradable	0 %
Bioaccumulative potential:				

12.3 Bioaccumulative potential:

- CONTINUED ON NEXT PAGE -



SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Bi	Bioaccumulation potential	
1-isopropyl-2,2-dimethyltrimethylene diisobutyrate	BCF	1	
CAS: 6846-50-0	Pow Log	4.1	
EC: 229-934-9	Potential	Low	
3-iodo-2-propynyl Butylcarbamate	BCF	36	
CAS: 55406-53-6	Pow Log	2.4	
EC: 259-627-5	Potential	Moderate	
bronopol (INN)	BCF	0.6	
CAS: 52-51-7	Pow Log	-0.64	
EC: 200-143-0	Potential	Low	

12.4 Mobility in soil:

Not available

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains 1,2benzisothiazol-3(2H)-one, bronopol (INN), 2,2-dibromo-2-cyanoacetamide, Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo [4,5-d]imidazole-2,5(1H,3H)-dione, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 3-iodo-2-propynyl Butylcarbamate, Terbutryn.

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

- CONTINUED ON NEXT PAGE -



SECTION 15: REGULATORY INFORMATION (continued)

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: 3-iodo-2-propynyl Butylcarbamate (Product-type 6, 7, 8, 9, 10, 13); bronopol (INN) (Product-type 2, 6, 11, 12, 22); Terbutryn (Product-type 7, 9, 10); reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2 -methyl-2H-isothiazol-3-one (3:1) (Product-type 2, 4, 6, 11, 12, 13)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

-ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtravs.

tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

Supplementary information

Texts of the legislative phrases mentioned in section 2:

H412: Harmful to aquatic life with long lasting effects.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 2: H310+H330 - Fatal in contact with skin or if inhaled.

Acute Tox. 3: H301 - Toxic if swallowed.

Acute Tox, 3: H331 - Toxic if inhaled.

Acute Tox. 4: H302 - Harmful if swallowed.

Acute Tox. 4: H302+H312 - Harmful if swallowed or in contact with skin.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage.

Repr. 2: H361 - Suspected of damaging fertility or the unborn child.

Skin Corr. 1C: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Skin Sens. 1A: H317 - May cause an allergic skin reaction.

STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure.

STOT SE 3: H335 - May cause respiratory irritation.

Classification procedure:

- CONTINUED ON NEXT PAGE -



SECTION 16: OTHER INFORMATION (continued)

Aquatic Chronic 3: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LOGPOW: Octanolwater partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified. - END OF SAFETY DATA SHEET -